

EN

ENGINEERED
TO MAKE YOU

smile

HIGHLIGHTS 2021

MTB | ROAD | TOUR | CITY | CARGO
E-BIKE SYSTEMS

POWER YOUR LIFE

BAFANG

CST

in
pöstnl

BAFANG

MOUNTAINBIKE RACING TEAM



BAFANG

X

AMERICAN EAGLE

"At Bafang, we look forward to working closely together to develop race-ready e-mountainbikes AND supporting one of the world's most successful elite MTB teams as a sponsor..."

JACK BRANDSEN EUROPE MARKET VP OF BAFANG

"I've always been one who wants to develop and launch something new. This is a great step that can give fresh energy to the team and our sport. In view of the upcoming UCI World Championship and the current popularity of the e-bike, I have an absolutely good feeling. It is an exciting challenge."

BART BRENTJENS MOUNTAINBIKER, CO-OWNER AMERICAN EAGLE MTB,
MANAGER CST SANDD AMERICAN EAGLE MTB TEAM

M500 | PERFORMANCE



M500

250w, 25km/h
light weight < 3.4kg
BAFANG standard Axle
95N.m (Max)



DP C231

Easy to operate
2" TFT screen
Bluetooth integrated
USB charge port



BT F03

Intube
Smart BMS
450wh



DRIVE SYSTEMS FOR eMTB



M600 | SPEED

Would you like a little more? The M600 motor – 500 watts rated power, 120Nm max. torque, just 3.9kg – always delivers top performance and is the first choice for modern eMTBs. With its triple sensor system (1 torque, 2 speed sensors) it reacts with lightning speed to your pedal-power input and delivers impressive support at all times.



eMTB

	RATED POWER	500 w
	MAX TORQUE	120 Nm
	WEIGHT	3.9 kg



eMTB

Powerful yet quiet, the motor delivers satisfying flow whether you're climbing or descending. Its maximum assistance of up to 120Nm takes the sting out of any ascent and puts a smile on any rider's face.

H620 | SPORTFUL

eMTB bikes can rely on the powerful and efficient H620 rear drive motor. With 350W dependable power and 60Nm torque it offers strong support where needed. Compatible with disc brakes and 7- to 11-spd cassettes.



DRIVE SYSTEMS FOR eROAD/GRAVEL



M800 | PROFESSION

The speed machine! Designed for minimal aerodynamic drag and maximum efficiency, this compact drivetrain will boost you to enjoy ever longer rides. Despite the minimalistic design of the lightweight drive unit (< 2,3kg), it supports riders of eRoad or eGravel bikes with a high torque output of 55Nm max and doesn't add to the rolling resistance when they go beyond the legal support limit of 25kph.



eROAD/
eGRAVEL

	RATED POWER	200 w
	MAX TORQUE	55 Nm
	WEIGHT	2.3 kg

eRoad/Gravel

Compact, lightweight and barely noticeable – for many riders this describes their perfect solution. With its M800 drive system Bafang has developed a milestone product in the eRoad sector.

H600 | SPORTIVE URBAN

Small in size, superlight, high in efficiency and smooth & quiet running, this drive system is ideal for light and stylish eRoad & eCity bikes. The rear-drive motor is compatible with disc brake and has a rated power output of 250W as well as 30Nm max. torque.



eROAD/
eGRAVEL



eCITY

 RATED POWER **250 w**

 MAX TORQUE **30 Nm**

 WEIGHT **2 kg**

DRIVE SYSTEMS FOR eTOUR



M420 | TREKKING

With its reduced design, the M420 drive system perfectly fits modern & stylish city and trekking eBikes. The latest iteration of the M400 range with a rated power of 250W smoothly supports until the legal speed limit of 25kph. Powerful 80Nm of torque and sensitive controls result in a user-friendly support characteristic, especially when starting and riding uphill.



eTOUR



eCITY

RATED POWER 250 w

MAX TORQUE 80 Nm

WEIGHT 3.6 kg

eTour

The journey is the goal. Extended tours, even over several days, are no longer any problem. With an eTouring bike you'll enjoy the powerful support of a Bafang motor and extend your range significantly thanks to the long-lasting battery.

H400B | LEISURE

This rear-drive motor, which has a rated power of 350W and a maximum torque of 45Nm, provides ideal power for eTour bikes. Strong and efficient, this motor greatly enhances your riding comfort. Compatible with 7- to 11-spd cassettes and disc brakes.



eTOUR



eCITY

RATED POWER 350 w

MAX TORQUE 45 Nm

WEIGHT 3.3 kg

DRIVE SYSTEMS FOR eCITY



M200 | ECO

Smooth, silent and very economic: The compact M200 mid-motor shines with an overwhelming cost-performance ratio. Weighing just 3.2kg at 250W rated power output and 65Nm of max. torque, it is perfectly suited to entry-level eCity bikes.



eCITY



eCity

The Future of Urban Mobility: It's already happening today, away from noisy cars and congested roads. The future belongs to the eBike. Quiet, light, efficient and as individual as your lifestyle.

H400 | ECO

Small in size, light in weight, high in efficiency and smooth & quiet running, this motor is ideal for city eBikes. The front-drive motor has 45Nm max. torque and a rated power of 250W. Compatible with disc or V-brakes.



eCITY



eTOUR

	RATED POWER	250 w
	MAX TORQUE	45 Nm
	WEIGHT	2.3 kg

DRIVE SYSTEMS FOR eCARGO



M620 | COMMERCIAL

Bafang's powerhouse! With a maximum torque of 160Nm and 750 or even 1000W rated power output, the M620 is predestined for eTandems, eCargo bikes and high-end eMTBs as it will definitely get the heaviest loads accelerated on even the steepest incline. Due to the system's dual sensor design, the rider has full control at all times and enjoys extremely sensitive responsiveness. In use with logistics companies across the globe.



eCARGO



RATED POWER  1000 w

MAX TORQUE  160 Nm

WEIGHT  5.3 kg

eCargo


Combining impressive performance with quiet operation, the motor provides powerful assistance up to 160Nm, making for the most manageable eCargo bike journeys.

H610 | PRIVATE


eMTB and eSpeed bikes can rely on the powerful and efficient H610 rear drive motor. With 350 or 500W dependable power and 65Nm torque, it offers utmost performance where needed. Compatible with freewheels and disc brakes.



eCARGO

RATED POWER  500 w

MAX TORQUE  65 Nm

WEIGHT  4.5 kg

DRIVE SYSTEMS FOR eFAT



H550 | STABLE

eFat or heavy-duty eCargo bike. Both can rely on the powerful and efficient H550 rear drive motor. With 750 or 1000W dependable power and 85Nm torque it offers utmost performance where needed. Compatible with disc brakes and OLD 175mm frames.



RATED POWER 1000 w

MAX TORQUE 85 Nm

WEIGHT 4.1 kg



eFAT

Rough terrain with dirt, sand or snow: maximum traction is essential here. The combination of fat tyres and a powerful Bafang engine meets the requirements perfectly. For unforgettable adventures that you would never have experienced with muscle power alone.

H500 | EFFICIENT

eFat or eCargo bike. Both can rely on the powerful and efficient H500 rear drive motor. With 250, 350 or 500W dependable power and 80Nm torque it offers strong support where needed. Compatible with disc brakes and OLD 175mm frames.



RATED POWER **500 w**

MAX TORQUE **80 Nm**

WEIGHT **4.1 kg**



INTUBE BATTERY

Hide your power. Intube batteries keep the aerodynamics of the frame unimpaired, ensuring effective weight distribution, and helping designers maintain a strong aesthetic. Bafang intube batteries are perfect for any type of bike. With high and low power versions, you'll find the perfect power source for your ride.

BT F25

This compact and light Intube battery even fits in smaller frame tubes, delivering 820 Wh to stylish eBike options, from trekking eBikes with low step-thru to eMTB.

CAPACITY  820 Wh

WEIGHT  4.8 kg

CHARGING TIME  4.5 h^{5A}



BT F16

This mid-size Intube battery delivers long lasting 460/550 Wh at just 3.4kg of weight to stylish eBike options, from city/trekking or touring eBikes with low step-thru to eMTBs and their respective ambitious riders.

CAPACITY  **460/550 Wh**

WEIGHT  **3.4/3.4 kg**

CHARGING TIME  **5.5/6.5 h^{3A}**



BT F15

This compact and light Intube battery even fits in smaller frame tubes, delivering 640 Wh to stylish eBike options, from trekking eBikes with low step-thru to eMTB.

CAPACITY  **640 Wh**

WEIGHT  **4.8 kg**

CHARGING TIME  **6.5 h^{3A}**



BT F014

This slim Intube battery keeps the aerodynamics of fast eRoad and eGravel bikes unimpaired, adding 410 Wh of precious electric energy to the rider's ambitions of climbing alpine passes or keeping the momentum high on longer sportive rides.

CAPACITY  **410 Wh**

WEIGHT  **2.6 kg**

CHARGING TIME  **4.5 h^{3A}**



BT F09

This slim Intube battery keeps the aerodynamics of fast eRoad and eGravel bikes unimpaired, adding 410 Wh of precious electric energy to the rider's ambitions of climbing alpine passes or keeping the momentum high on longer sportive rides.

CAPACITY  410 Wh


WEIGHT  2.65 kg


CHARGING TIME  4.5 h^{3A}



BT F05

This super-slim Intube battery keeps the aerodynamics of fast eRoad and eGravel bikes unimpaired, adding 200 Wh of precious electric energy to the rider's ambitions of climbing alpine passes or keeping the momentum high on sportive rides.

CAPACITY  200 Wh

WEIGHT  1.6 kg

CHARGING TIME  2.5 h^{3A}



BT F03/F04

This mid-size Intube battery delivers up to long lasting 600 Wh at just 3.5kg of weight to stylish eBike options, from touring eBikes with low step-thru to eMTBs and their respective ambitious riders.

CAPACITY  450/600 Wh

WEIGHT  3/3.5 kg

CHARGING TIME  4.5/5.5 h^{3A}







RACKTYPE BATTERY

Rack up the power. For traditionally styled eBikes with a power source that's easy to access and remove, Bafang brings you "C"arrier mounted battery options in three levels: 450, 600 and an enormous 750 Watt-hours, intended for daily or even extensive city cycling. Long lasting and reliable e-assist is right behind you all the way.

BT C01

Power to the rack! For traditionally styled eBikes, Bafang offers these „C“arrier mounted battery options in three energy levels: 450, 600 and enormous 750 Watt-hours, intended for daily or even extensive city cycling.

CAPACITY  450/600/750 wh

WEIGHT  3.5/3.5/4 kg

CHARGING TIME  4.5^{3A}/5.5^{3A}/6.5^{3A} h





DOWNTUBE BATTERY

Form follows function. Both elegant and practical, semi-integrated batteries make lighter frames possible, while also allowing easy handling, charging and storage. Combining high power and light weight, downtube batteries offer a convenient and dependable package for any kind of eBike and rider experience.

BT F07/F08

Form follows function! In this case, the semi-integrated battery makes lighter frames possible - and also easier handling. Add just 3.3kg of weight to 600 Wh of energy and you'll get a convenient package for any kind of eBike and long range ride experience.

CAPACITY **450/600 Wh**

WEIGHT **2.4/3.3 kg**

CHARGING TIME **4.5/5.5 h^{3A}**






COMPANY

Bafang, one of the leading manufacturers of e-mobility components and complete e-drive systems, has been developing solutions for electric vehicles since 2003. The company focuses on all global e-mobility trends of the future: whether for individual e-bikes, e-scooters or for public bike-sharing schemes.

Bafang employs around 700 staff worldwide in eight locations. The head office, development and manufacturing center is based in Suzhou, near Shanghai. Bafang has Sales and Service Centers in the Netherlands, in the USA, in Germany in Japan and in Taiwan, China. The recently-opened factory in Poland focuses on production of mid-motor systems for the European market.



OUR PHILOSOPHY



BAFANG has now become a globally successful supplier of complete systems. Apart from high-quality motors, we offer a complete product range of components for e-bikes and electric scooters. Our portfolio also includes user-friendly HMIs (human machine interface), reliable storage batteries and sensors for a natural driving feel, either as individual components or as a complete system. Connectors and motor control units (controllers) complement our product range.

BAFANG GO APP

PERFECT CONNECTIVITY



Start Screen

Main Data

Main Menu

Vitality Data

The new smartphone app offers users of Bluetooth-enabled Bafang-powered e-bikes a powerful interface to access ride and fitness data, as well as bike configuration and hardware update via Bluetooth. BAFANG GO for iOS™ and Android™ – right there on your phone.

Android



iOS

FOLLOW US ON SOCIAL MEDIA



Are you already following us on the new social media channels? You can find us under @bafangelectric on facebook, instagram, twitter, youtube and linkedin. Please follow us today and don't miss any news and exciting stories about our products.

@BafangElectric



eBIKE BRANDS



No matter whether eMTB, eRoad, eTour, eCity or eCargo: Bafang drive systems and components are part of the eBike original equipment of many well-known manufacturers. Technical advantage, convincing performance and the flexible combination possibilities make all the difference.

AMSLOD | ARMONY | AUTHOR | BIKTRIX | BOTTECCHIA
BRINCKERS | CARLA CARGO | CHARGE | CTM
DE ROSA | EVELO ELECTRIC BICYCLES | FLX BIKE
FORESTAL | GREY TECHNOLOGY | iGO | JUICED RIDERS
KEOLA | LEADER FOX | LUNA CYCLE | MONTANA
PEDEGO ELECTRIC BIKES | PROPHETE | QWIC | RUNGU
SEVEN PEAKS | SONDORS | SOUL BEACH CRUISERS
STELLA | SUPER73 | VAN DIJCK | VANMOOF ASIA | ZASADA

ENGINEERED
TO MAKE YOU
smile



BAFANG



ASIA

China Headquarter

Bafang Electric (Suzhou) Co., Ltd.
No.9 Heshun Rd., Suzhou Industrial Park
215122, Suzhou

China

Bafang (Tianjin) Electric Technology
Co., Ltd.
No.5, Dongxing Rd., Beihuan Industrial
Zone, Jinghai District 301699, Tianjin

Bafang Electric (Suzhou) Co., Ltd. /
Taiwan Office
8F.-23, No.156, Gaotie 5th Rd., Wuri Dist.,
Taichung City 414-56, Taiwan

Japan

Bafang Japan Co., Ltd.
No. 8 Asahi BL, 1-16-7 Asahi, Kawaguchi,
Saitama 332-0001, Japan

EUROPE

Netherlands

Bafang Electric Motor
Science-Technology B.V.
Bijsterhuizen 2415, 6604 LK Wijchen

Germany

Bafang Electric GmbH
Johannes-Liemke-Straße 2
33161 Hövelhof

Poland

Bafang Electric (Poland) sp. z o.o.
Ul.Logistyczna 8
55-040 Bielany Wroclawskie, Wroclaw

AMERICA

USA

Bafang Science Inc.
2530 E. Corporate PL, suite A100,
Monterey Park, CA 91754

➤ info@bafang-e.com

➤ www.bafang-e.com



Errors and omissions excepted.
© December 2020 Bafang Electric (Suzhou) Co., Ltd.

@BafangElectric

